# IN THE CLAIMS:

Sap-09-03

02:50pm

Please amend the claims as follows:

## Claims 1-3 (Cancelled)

- (Currently Amended) A method for purifying used motor oil, comprising: 4. mixing the used motor oil with a phase transfer catalyst in the presence of a base compound, wherein the phase transfer catalyst comprises a glycol;
- mixing the used motor oil with a solvent to dissolve contaminants from the used motor oil into the solvent; and then

separating the solvent from the used motor oil.

- 5. (Cancelled)
- The method of claim 4, wherein the phase transfer 6. (Previously Presented) catalyst comprises ethylene glycol.
- The method of claim 4, further comprising (Currently Amended) 7. removing contaminants from the used motor oil by distilling the used motor oil at a temperature of about 200°C to about 275°C and a pressure of about 100 torr to about 200 torr.
- The method of claim 4, further comprising (Currently Amended) 8. removing contaminants from the used motor oil by distilling the used motor oil at a temperature of about 275°C to about 300°C and a pressure of about 0.05 torr to about 0.2 tom.
- The method of claim 4, further comprising 9. (Currently Amended). removing contaminants from the used motor oil by distilling the used motor oil at a temperature of about 200°C to about 300°C and a pressure of about 0.05 for to about 200 torr.
- 10. (Cancelled)

Page 2 of 9

222384\_1

02:50pm

- 11. (Previously Presented) The method of claim 4, wherein the base compound is an inorganic or organic base compound.
- 12. (Previously Presented) The method of claim 11, wherein the inorganic base compound is selected from the group consisting of sodium hydroxide, potassium hydroxide, and combinations thereof.
- 13. (Currently Amended) The method of claim 4, wherein a mixture of the <u>used</u> motor oil and phase transfer catalyst comprises about 1 % to about 10 % by weight of the phase transfer catalyst.
- 14. (Cancelled)
- 15. (Previously Presented) The method of claim 4, further comprising separating the contaminants from the solvent.
- 16. (Previously Presented) The method of claim 15, further comprising recycling the solvent.
- 17. (Cancelled)
- 18. (Currently Amended) The method of claim 4, wherein separating the solvent from the <u>used</u> motor oil comprises extraction.
- 19. (Currently Amended) The method of claim 4, wherein separating the solvent from the <u>used</u> motor oil comprises flowing the solvent counter to the <u>used</u> motor oil within means for extraction.
- 20. (Previously Presented) The method of claim 19, wherein means for extraction comprises a mixer, agitated column, non-agitated column, and Karr column.

Sep-09-03

- 21. (Previously Pres nted) The method of claim 4, wherein the solvent comprises N,N-dimethylformamide.
- 22. (Previously Presented) The method of claim 4, wherein the solvent is a polar organic compound.
- 23. (Currently Amended) A method for removing contaminants from a <u>used</u> petroleum distillate, comprising:

mixing the <u>used</u> petroleum distillate with ethylene glycol in the presence of a base compound;

mixing the <u>used</u> petroleum distillate with a solvent to dissolve contaminants from the <u>used petroleum distillate</u> <del>motor oil</del> into the solvent; and then separating the solvent from the <u>used</u> petroleum distillate.

- 24. (Currently Amended) The method of claim 23, wherein the <u>used</u> petroleum distillate comprises motor oil.
- 25. (Currently Amended) The method of claim 23, wherein separating the solvent from the <u>used</u> petroleum distillate comprises distilling the <u>used</u> petroleum distillate at a temperature of about 200°C to about 275°C and a pressure of about 100 torr to about 200 torr.
- 26. (Currently Amended) The method of claim 23, wherein separating the solvent from the <u>used</u> petroleum distillate comprises distilling the <u>used</u> petroleum distillate at a temperature of about 275°C to about 300°C and a pressure of about 0.05 torr to about 0.2 torr.
- 27. (Currently Amended) The method of claim 23, wherein separating the solvent from the <u>used</u> petroleum distillate comprises distilling the <u>used</u> petroleum distillate at a temperature of about 200°C to about 300°C and a pressure of about 0.05 torr to about 200 torr.

- 28. (Currently Amended) The method of claim 23, wherein a mixture of the <u>used</u> petroleum distillate and ethylene glycol comprises about 1 % to about 10 % by weight of ethylene glycol.
- 29. (Cancelled)

Sep-09-03

- 30. (Previously Presented) The method of claim 23, further comprising separating the contaminants from the solvent.
- 31. (Previously Presented) The method of claim 30, further comprising recycling the solvent.
- 32. (Cancelled)
- 33. (Previously Presented) The method of claim 23, wherein separating the solvent from the petroleum distillate comprises extraction.
- 34. (Currently Amended) The method of claim 23, wherein separating the solvent from the <u>used</u> petroleum distillate comprises flowing the solvent counter to the <u>used</u> petroleum distillate within means for extraction.
- 35. (Previously Presented) The method of claim 34, wherein means for extraction comprises a mixer, agitated column, non-agitated column, and Karr column.
- 36. (Previously Presented) The method of claim 23, wherein the solvent comprises N,N-dimethylformamide.
- 37. (Previously Presented) The method of claim 23, wherein the solvent is a polar organic compound.
- 38. (Currently Amended) A method for removing contaminants from <u>used</u> motor oil, comprising:

Page 5 of 9

rnixing the <u>used</u> motor oil with ethyl ne glycol in the presence of an inorganic base compound;

rnixing the <u>used</u> motor oil with a solvent to dissolve contaminants from the used motor oil into the solvent;

separating the solvent from the <u>used</u> motor oil; and then separating the contaminants from the solvent.

### 39. (Cancelled)

Sep-09-03

- 40. (Previously Presented) The method of claim 38, wherein the inorganic base compound is selected from the group consisting of sodium hydroxide, potassium hydroxide, and combinations thereof.
- 41. (Currently Amended) The method of claim 38, wherein a mixture of the <u>used</u> motor oil and ethylene glycol comprises about 1 % to about 10 % by weight of the ethylene glycol.

## 42. (Cancelled)

43. (Previously Presented) The method of claim 38, further comprising recycling the solvent.

### 44. (Cancelled)

- 45. (Currently Amended) The method of claim 38, wherein separating the solvent from the <u>used</u> motor oil comprises extraction.
- 46. (Currently Amended) The method of claim 38, wherein separating the solvent from the <u>used</u> motor oil comprises flowing the solvent counter to the <u>used</u> motor oil within means for extraction.
- 47. (Previously Presented) The method of claim 46, wherein the means for extraction comprises a mixer, agitated column, non-agitated column, and Karr column.

Page 6 of 9

222384\_1

- 48. (Previously Presented) The method of claim 38, wherein the solvent comprises N,N-dimethylformamide.
- 49. (Previously Presented) The method of claim 38, wherein the solvent is a polar organic compound.
- 50. (Currently Amended) A method for removing contaminants from <u>used</u> motor oil, comprising:

mixing the <u>used</u> motor oil with a glycol in the presence of an inorganic base compound;

mixing the <u>used</u> motor oil with N,N-dimethylformamide to dissolve contaminants from the <u>used</u> motor oil into the solvent;

separating the N,N-dimethylformamide from the <u>used</u> motor oil; and then separating the contaminants from the solvent.

- 51. (Previously Presented) The method of claim 50, wherein the inorganic base compound is selected from the group consisting of sodium hydroxide, potassium hydroxide, and combinations thereof.
- 52. (Cancelled)
- 53. (Previously Presented) The method of claim 50, wherein the glycol comprises ethylene glycol.
- 54. (Previously Presented) The method of claim 4, wherein a concentration of the base compound in the used oil is between 0.5 and 5 weight percent on a dry weight basis.
- 55. (Currently Amended) The method of claim 23, wherein a concentration of the base compound in the <u>used</u> petroleum distillate is between 0.5 and 5 weight percent on a dry weight basis.

56. (Curr ntly Am nded) The method of claim 38, wherein a concentration of the base compound in the <u>used</u> motor oil is between 0.5 and 5 weight percent on a dry weight basis.